

**JCB**

# TOUGH TO BEAT



OPERATING WEIGHT  
**2550 – 2675kg**

ENGINE POWER  
**18.4kW**

BUCKET TEAROUT  
**22.3 – 25.9kN**


# TOUGH TO BEAT FOR PERFORMANCE

Choose the 26c-1 with conventional swing or the 25z-1 for true zero tailswing in tight spaces: all designed with durability, reliability and towability in mind.



## ENHANCED POWER

The 25z-1 and 26c-1 have performance enhancements across the hydraulics, tracking, attachments and notably, the new 18.4kW Kohler engine.



# TOUGH TO BEAT FOR SAFETY

Follow-me-home worklights and our unique 2GO hydraulic isolation system provide extra safety on site, whilst maintaining a safe towing weight for extra mobility.



## ADVANCED LIFT OVERLOAD

With our lift overload feature, visual indicators and audible alarms ensure machine safety limits are clear.

# TOUGH TO BEAT FOR COMFORT

Experience unmatched comfort in our redesigned cab. Optional air-conditioning, premium suspension seat and Bluetooth radio create an ideal working environment.



## NEW CAB

Our new, more spacious cab featuring flat glass surfaces, provides more all-round space and visibility than ever before, with easier and safer access.



# TOUGH TO BEAT FOR COST OF OWNERSHIP

Designed to deliver lower operating costs with 500-hour greasing intervals, auto stop and idle functions, coloured hydraulic hoses, plus flat glass.



## SAVE FUEL

Auto Idle can be activated to increase fuel efficiency, while nine engine modes to let you choose the perfect balance of performance or economy.

# TOUGH TO BEAT FOR DURABILITY

In a world of harsh environments, JCB mini excavators are tough. Built to withstand the challenges of any site, they ensure reliability when it matters most.



## HIGH STRENGTH BOOM

Our robot welded boom and dipper is made from high tensile steel for long life durability.



# MINI EXCAVATOR | 25z-1 / 26c-1



## SPECIFICATION

MODEL	25z-1	26c-1
Dig depth	2,990mm	
Service intervals	500 hours	
Transport length	4,200mm	4,350mm
Transport height	2,474mm	
Transport width	1,500mm	
Operating weight	2550kg	2675kg



## STANDARD FEATURES

- 500 hour greasing intervals
- 18.4kW Stage V diesel engine
- No engine after-treatment
- Auto kick-down track motors
- 9 tie-down points
- Bolt-on grab handles
- LED worklights
- Steel bodywork
- 2-way dozer
- Rubber tracks



# TOUGH TO BEAT

[FIND OUT MORE](#)



[REQUEST A QUOTE](#)



[www.jcb.com](http://www.jcb.com)