

RIDGWAY *Rentals*



PLANT RENTAL • HAULAGE • SALES • PARTS • SERVICE

NATIONWIDE PLANT HIRE

**EXCAVATORS
MINI DIGGERS
BULLDOZERS
LOADING SHOVELS
TELEHANDLERS
DUMP TRUCKS**



PUTS YOU IN THE DRIVING SEAT

0800 51 51 55

hire@ridgwayrentals.com

www.ridgwayrentals.com



RIDGWAY *Rentals*



PLANT RENTAL • HAULAGE • PLANT SALES

NATIONWIDE PLANT HIRE

We offer a nationwide plant hire service.

All machines are available to **hire on *SHORT TERM HIRE*** or ***LONG TERM CONTRACT HIRE*** along with many attachments

Call us for a free no obligation quote

Nationwide Hire Desk
0800 515155

**NEXT DAY NATIONWIDE
DELIVERY AVAILABLE**



HAULAGE



Our fleet ensures plant machinery is moved legally, efficiently and economically by experienced and compliant drivers.

TRACKED EXCAVATORS



JCB JS131X

- 7" colour multi-function display
- Excellent, all-round visibility
- ROPS compliant with boxing ring
- Low Noise Cab for operator comfort

Max Digging Height	9.44 m
Max Dumping Height	7.04 m
Max Digging Depth	6.02 m
Max Digging Reach	8.80 m



Komatsu PC138US

- Short tail swing
- Ideal for job sites where space is limited
- Rear view camera
- Widescreen monitor & Rear-view camera

Max Digging Height	9.70 m
Max Dumping Height	7.35 m
Max Digging Depth	5.90 m
Max Digging Reach	8.72 m



JCB 140X

- ROPS compliant
- Rear and side-view camera
- Large, comfortable cab
- Hammer, shear & rotate Lines

Engine Power	81 kW
Max Operating Weight	15,275 kg
Max Digging Depth	6 m
Max Digging Reach	8.8 m

01691 770171

www.ridgwayrentals.com
FREEPHONE: 0800 515155

TRACKED EXCAVATORS



JCB 145XR

- ROPS compliant
- Zero tail swing and dozer blade
- EcoMax 81kW engine
- Heavy-duty fully-welded X-frame

Max Digging Height	9.473 m
Max Dumping Height	6.997 m
Max Digging Depth	6.072 m
Max Digging Reach	8.801 m



JCB JS220X

- 5200 kg bucket tear out and fast cycle times.
- Start sequence digging within 2 seconds
- Factory fitted HBCVs
- Low in-cab noise of 68dB(A)

Max Digging Height	9.087 m
Max Dumping Height	6.537 m
Max Digging Depth	6.694 m
Max Digging Reach	9.859 m



Komatsu PC210LC

- Safe SpaceCab™
- ROPS compliant
- Rear view camera
- EU Stage V engine

Max Digging Height	10.07 m
Max Dumping Height	7.19 m
Max Digging Depth	6.49 m
Max Digging Reach	9.85 m

01691 770171

www.ridgwayrentals.com
FREEPHONE: 0800 515155

TRACKED EXCAVATORS



Komatsu PC228US

- Reduced Tail Swing
- Safe SpaceCab™ & ROPS compliant
- Rear view camera
- Optimal jobsite safety

Max Digging Height	10.70 m
Max Dumping Height	7.82 m
Max Digging Depth	6.62 m
Max Digging Reach	9.87 m



Komatsu PC290LC

- Powerful and environmentally friendly
- DPF for cleaner emissions
- Low fuel consumption
- Highest Safety Standards – ROPS compliant

Max Digging Height	10.35 m
Max Dumping Height	7.43 m
Max Digging Depth	7.22 m
Max Digging Reach	10.89 m



JCB 245XR

- ROPS compliant
- EU Stage V engine
- Large, comfortable cab
- Hammer, Shear & Rotate Lines

Max Digging Height	10.7 m
Max Dumping Height	7.9m
Max Digging Depth	6.6 m
Max Digging Reach	9.23 m

01691 770171

www.ridgewayrentals.com
FREEPHONE: 0800 515155

TRACKED EXCAVATORS



Komatsu PC360LC

- Improved hydraulic efficiency
- Adjustable idle shutdown
- Komatsu fuel-saving technology
- Fully air-suspended operator station

Max Digging Height	10.55 m
Max Dumping Height	7.49 m
Max Digging Depth	8.18 m
Max Digging Reach	11.90 m



JCB 370X

- Twin Kawasaki Hydraulic pumps
- Powerful Cummins L9 engine
- Extensive testing for ultimate robustness
- High levels of operator comfort

Engine Power	240 kW
Max Bucket Capacity	2.1 m3
Max Digging Depth	8.36 m
Max Operating Weight	39,888 kg



Komatsu PC490LC

- Heavy duty features to enhance lift capacity
- Two-mode boom control
- Rear view camera system standard
- Ten attachment memory setting

Max Digging Height	10.55 m
Max Dumping Height	7.12 m
Max Digging Depth	6.86 m
Max Digging Reach	10.98 m

01691 770171

www.ridgwayrentals.com
FREEPHONE: 0800 515155

LONG REACH EXCAVATORS



Komatsu PC138 SLF
12 Metre Reach

Max Digging Height	11.61 m
Max Dumping Height	9.56 m
Max Digging Depth	9.19 m
Max Digging Reach	12.32 m
Min. Swing Radius	2.87 m



Komatsu PC210 SLF
15 Metre Reach

Max Digging Height	13.98 m
Max Dumping Height	11.24 m
Max Digging Depth	11.79 m
Max Digging Reach	15.43 m
Min. Swing Radius	4.00 m



Komatsu PC360 SLF
22 Metre Reach

Max Digging Height	16.26 m
Max Dumping Height	13.48 m
Max Digging Depth	17.49 m
Max Digging Reach	22.01 m
Min. Swing Radius	7.35 m

All supplied with CE certs and lifting charts for environment agency work
Available with: Rubber Tracks • Prolec Digmaster • Buckets • Hydraulic Attachments

01691 770171

www.ridgwayrentals.com
FREEPHONE: 0800 515155

WHEELED EXCAVATORS



Komatsu PW98MR

- Low consumption EU Stage V engine
- Wide working range
- Spacious and comfortable cab
- Innovative 2 piece boom design
- 4 wheel steering

Max Digging Height	8.4 m
Max Digging Depth	4.05 m
Max Digging Reach	7.58 m



Komatsu PW148-11

- Low consumption EU Stage V engine
- Compact design with short tail radius
- Boom suspension system
- Adjustable idle shutdown
- Additional hydraulic circuit

Max Digging Height	8.7 m
Max Digging Depth	5.36 m
Max Digging Reach	8.8 m



Komatsu PW160-11

- Low consumption EU Stage V engine
- Excellent controllability
- 2 wheel steering
- 4 working modes
- Ideal for a wide range of applications

Max Digging Height	9.2 m
Max Digging Depth	5.6 m
Max Digging Reach	9.5 m

Wheeled excavators are mounted on rubber tyres which makes them perfect for work on streets and roads

01691 770171

www.ridgwayrentals.com
FREEPHONE: 0800 515155

WHEELED EXCAVATORS



JCB JS145W

- 14 Ton Wheeled Excavator (Duck)
- Excellent travel speeds
- No need for diesel particulate filter (DPF)
- Excellent visibility & Rear dozer blade
- Ability to drive between work areas

Max Digging Height	10.40 m
Max Digging Depth	5.93 m
Max Digging Reach	9.23 m



JCB JS160W

- 18 Ton Wheeled Excavator (Duck)
- 4 working modes
- Stabilizers offer good digging performance
- No need for diesel particulate filter (DPF)
- Excellent visibility & travel speeds

Max Digging Height	10.23 m
Max Digging Depth	6.10 m
Max Digging Reach	9.35 m



JCB JS200W

- 22 Ton Wheeled Excavator (Duck)
- Available with solid tyres
- Stage 3B/Tier 4i compliant 4.4.ltr engine
- Ability to drive between work areas
- No need for diesel particulate filter (DPF)

Max Digging Height	10.23 m
Max Digging Depth	6.10 m
Max Digging Reach	9.35 m

All wheeled excavator hire machines are available for hire nationwide for short term hire or long term contract hire up to 3 years

01691 770171

www.ridgwayrentals.com
FREEPHONE: 0800 515155

ATTACHMENTS

Breakers



Breaker	Weight	Dia
PRB040	209kg	58mm
PRB250	1662kg	135mm
PRB400	3100kg	165mm

Multi-Processors with Interchangeable Jaw Sets



Shears



Crusher



Steel Shears



Shears



Crackers



Muncher



Demolition Jaws

Grabs



01691 770171

www.ridgwayrentals.com
FREEPHONE: 0800 515155

ATTACHMENTS



Piling Hammer

- High Impact Energy – Delivers impressive driving force to handle tough soil conditions and large piling requirements
- Robust Construction – Built to withstand the rigors of demanding job sites
- Ease of Operation
- Versatility



Auger

- Used to drill holes in the ground efficiently and accurately
- Ideal for applications requiring vertical drilling
- Helical drilling tool designed for specific tasks like soil



Trash Pump

- Hydraulically operated pump
- Greater lift height than suction pumps
- Self priming and run dry
- 5000 hours sealed bearings
- Used to handle matter that would clog other pumps

Tree Shears



Cuts through trees 6-18 inches thick
For use with 1.5 - 30 Ton Excavators

Cone Splitter



Processes into firewood from lengths up to 2m and diameters up to 70cm

01691 770171

www.ridgwayrentals.com
FREEPHONE: 0800 515155

DOZERS



Komatsu D51PX & D51PXi

- Super-slant nose design offers an excellent blade visibility
- Large, quiet pressurized cab with integrated ROPS/FOPS
- High capacity power-angle-tilt blade

Engine Power	99 kW / 133 HP
Operating Weight	14.180 kg
Blade Capacity	2,9 - 3,35 m ³



Komatsu D61PX & D61PXi

- Provision kit for Topcon 2D & 3D blade control
- Straight power angle tilt blade with adjustable pitch
- Komatsu's box blade design offers the highest resistance for a low weight blade

Engine Power	126 kW / 169 HP
Operating Weight	19.460 kg
Blade Capacity	3,8 m ³



Komatsu D65PX & D65PXi

- 22 Ton low ground pressure dozer
- Rear view monitoring system
- High visibility cab with strong integrated ROPS
- Ergonomic joystick control for easy operation
- Excellent flotation in soft & wet conditions

Engine Power	164 kW / 220 HP
Operating Weight	22.100 kg
Blade Capacity	3,69 - 5,90 m ³



Komatsu D71PXi

- Unique super-slant nose design
- Palm command control system (PCCS)
- Low consumption EU Stage V engine
- Increased work equipment speed

Engine Power	179 kW / 240 HP
Operating Weight	23.900 kg
Blade Capacity	5.02 m ³

01691 770171

www.ridgwayrentals.com
FREEPHONE: 0800 515155

WHEELED LOADING SHOVELS



Komatsu WA380

- Superior reach & dumping height
- Boom suspension system for minimum spillage
- CLSS allows precise control of the bucket

Bucket Width	2.99 m
Track Width	2.16 m
Ground Clearance	455 m



Komatsu WA430

- Wide tread and long wheelbase
- Extremely maneuverable in tight spaces
- Fast load & carry cycles with minimum spillage

WASTE SEPC OPTION AVAILABLE

Bucket Width	3.00 m
Track Width	2.28 m
Ground Clearance	450 m



Komatsu WA470 & WA480

- Superior dumping height and reach
- Low-noise design with low vibration levels
- Rear-view camera system

WASTE SEPC OPTION AVAILABLE

Bucket Width	3.17 m
Track Width	2.30 m
Ground Clearance	505 m

OUR LOADING SHOVELS ARE AVAILABLE IN WASTE, QUARRY & RECYCLE SPEC

We offer a wide range of options and modifications to your specific needs for waste handling, jobsite conditions & health and safety requirements. These are just some of the options:

- High Reach Loader Arms
- Solid Tyers
- Fire Suppression
- Cab Protection
- High Tip Bucket
- Reversing Cameras

Speak to us about your specific requirements



01691 770171

www.ridgwayrentals.com
FREEPHONE: 0800 515155

WHEELED LOADING SHOVELS



JCB 427

- CommandPlus cab offers panoramic view
- Eco mode that reduces fuel consumption
- Optional 5-speed transmission
- The JCB SmoothRide System limits shock, reduces material spillage and structural stress

Bucket Width	2.55 m
Track Width	2.59 m
Ground Clearance	459 m



JCB 437

- Reverse camera and reverse alarm built in
- Fireward fire suppression system
- Cab and windscreen protection
- Designed and built for the waste, recycling & demolition work

Shovel capacity	3.1-3.5 m3
Full turn tipping load range	7982-14719kg
Load over height	3.99-4.99m



JCB 457

- Autolube (ALS) to keep machine greased
- Rear guard to protect radiator
- Reverse camera and reverse alarm
- Cab and windscreen protection
- Ulrich 4.5M high tip bucket

Bucket Width	3 m
Payload	6,460 kg
Engine Power	210 kW

01691 770171

www.ridgwayrentals.com
FREEPHONE: 0800 515155

GPS INTELLIGENT CONTROL

GPS



Intelligent controlled machines offer significant cost savings as well as improving site management with reduced working hours & increased quality of work.

Increases efficiency & improves health and safety plus reduces resource and material waste with no waiting for stakes to be set.

Allows high precision and more complex work with remote real-time construction.

We have GPS Intelligent Control Dozers & Excavators



Komatsu

D51PXi • D61PXi • D65PXi

- Intelligent dozers can perform rough dozing to high-precision finish grading in automatic mode to give outstanding productivity
- It senses & controls the blade load to optimise the start of the cut and minimise track slip.
- Equipped dozers can greatly enhance work efficiency in any application, especially when a specific finished level must be guaranteed.



Komatsu 3D GPS Excavators

- Intelligent Machine Control excavator (GPS)
- Auto Grade Assist – High accuracy, no re-work
- Safer Operation – No manual surface checking
- Auto Stop Control – will not allow any over dig
- Fuel saving – Low fuel consumption plus less work required as the work you do is 100% right first time
- Safety – no more site surveyors working in close proximity to heavy plant equipment.

01691 770171

www.ridgwayrentals.com
FREEPHONE: 0800 515155

DUMP TRUCKS



Komatsu HM300

- Payload metre displays the loaded weight
- Low centre of gravity & high ground clearance

Load Capacity	28 Ton
Body Capacity	17,1 m ³
Minimum turning radius	8.10 m



Hydrema 912

- Compact rear tipping with low ground pressure
- Spacious ROPS/FOPS approved cab

Load Capacity	28 Ton
Body Capacity	17,1 m ³
Minimum turning radius	8.10 m



Hydrema 922

- Centre pivot steering and hydraulic stabilizers
- Unrivalled all terrain maneuverability

Load Capacity	28 Ton
Body Capacity	12 m ³
Minimum turning radius	8.37 m



Bell B20E

- Low ground pressure
- Automatic engine brake

Load Capacity	18 Ton
Power	228 hp
Articulation	45°

01691 770171

www.ridgwayrentals.com
FREEPHONE: 0800 515155

SITE DUMPERS

1 Ton • 3 Ton • 6 Ton • 9 Ton • 10 Ton Front & Swivel Tip



Standard features include:

- Floatation tyres
- Flashing beacons, roll bars & safety bars
- Lights for legal use on roads
- Power steering
- Ignition key start & towing eye
- Folding ROPS frames

CABBED DUMPERS

Designed & built to address the industry concerns about site safety. These cabbed dumpers are unrivalled for front visibility, stability, and operator protection



JCB 6T-1 FT

- 4WD hydrostatic transmission
- Impact-protection front screen
- Toughened side and rear glass
- Reinforced frame for improved protection

Payload	9000 kg
Tipping type	Front tip
Skip capacity (heaped)	4531 litres
Skip tip angle	80°

JCB 9T-1 FT

- JCB SiTESAFE™ operator environment
- Direct line of vision
- Smooth spoil ejection
- Comfortable and safe to operate

Payload	9000 kg
Tipping type	Front tip
Skip capacity (heaped)	4531 litres
Skip tip angle	80°



01691 770171

www.ridgwayrentals.com
FREEPHONE: 0800 515155

TELEHANDLERS



JCB 540-140 Hi Viz

- Hi-res TFT screen and backlit switches
- Seat safety switch disables movement when operator isn't seated
- New single lever controls
- Versatility allows for numerous applications
- Available with Forks, Bucket, Brush and Extension JIB with swivel hook

Maximum Lift Capacity	4000kg
Maximum Reach	14m



JCB 540-180

- 18m reach with compact dimensions
- Unrivalled manoeuvrability, build quality and operator comfort
- Copes with the unique demands of any site
- Available with Forks, Bucket, Brush and Extension JIB with swivel hook

Maximum Lift Capacity	4000kg
Maximum Reach	18m



JCB 540-200

- 5-piece boom with range-topping 20m reach
- 4 tonne maximum lifting capacity
- All-terrain capability
- Proportional boom extend/retract.
- Available with Forks, Bucket, Brush and Extension JIB with swivel hook

Maximum Lift Capacity	4000kg
Maximum Reach	20m

01691 770171

www.ridgwayrentals.com
FREEPHONE: 0800 515155

TELEHANDLERS



JCB 525-60 Hi Viz

- Excellent for loading, unloading, moving site equipment or clearing sites
- Compact wheelbase & large steering lock angles allow superior manoeuvrability
- Large, spacious cab with a wide access door

Maximum Lift Capacity	2500kg
Maximum Reach	6m



JCB 535-95

AGRI SPECIFICATION AVAILABLE

- Hi-res TFT screen and backlit switches
- High power and torque at low revs
- Class-leading payload that offers superb productivity and cycle times.
- Available with Forks, Bucket, Brush and Extension JIB with swivel hook

Maximum Lift Capacity	3500kg
Maximum Reach	9.5m



JCB 560-80 Wastemaster

- Massive Ulrich 2.5m³ grab bucket
- Front and roof screen guards
- 3 speed powershift gearbox
- Air conditioning
- FOPS/FOPS cab & screen guards
- No need for DPFs or exhaust after treatment

Maximum Lift Capacity	6000kg
Maximum Reach	8m

01691 770171

www.ridgwayrentals.com
FREEPHONE: 0800 515155

MINI DIGGERS



Komatsu PC16C 1.5 Ton

- 4 post canopy: ROPS/TOPS/FOPS certified
- Standard dozer with swing out extensions
- Auto kick down track motors

Digging Depth	2.58m
Bucket Capacity	0,03-0,06m ³



Komatsu PC26MR 3 Ton

- Short tail swing delivers optimal power and digging speed, even in confined spaces
- Perfect control during combined operations

Digging Depth	2.72m
Bucket Capacity	0,04-0,09m ³



Komatsu PC55MR 5 Ton

- ROPS (ISO 3471) / FOPS (ISO 10262) tilting cab with heating
- Superior stability and safety in any conditions

Digging Depth	4.13m
Bucket Capacity	0,16-0,18m ³



JCB 57C 5 Ton

- Excellent tear-out and lift capacity
- 4 different power modes with isolation lever
- Low centre of gravity ensures stability.

Digging Depth	3.899m
Dump Height	4.946m

01691 770171

www.ridgwayrentals.com
FREEPHONE: 0800 515155

MIDI EXCAVATORS



Komatsu PC80MR 8 TON

- Tight tail swing that protrudes over the tracks by just 145 mm
- Equipped with buckets, quick hitch, vandal guards and rubber road liner tracks

Digging Depth	4.335m
Bucket Capacity	0.12-0.27m ³



JCB 85Z 8 TON

- The huge 188° bucket rotation offers great spoil retention during truck loading
- Well protected cab door sits within the counterweight length when folded back

Digging Depth	3.889m
Operating Weight	8600kg

ACCESS PLATFORMS



JCB Articulated Boom

- Large platform capacity
- Reduced emissions
- Low fuel consumption
- 4 Wheeled Drive

Max Platform Height	13.84m
Max Capacity	300kg



JCB Scissor Lift

- Electric, zero emission operation
- Compact design for access in restricted areas
- Stable scissor platform
- Low noise levels

Max Working Height	7.71m
Max Capacity	230kg

01691 770171

www.ridgwayrentals.com
FREEPHONE: 0800 515155

ROLLERS & BACKHOE



JCB 120 & 80 Rollers

- Automatic Vibration Control and superb stability for operator safety
- Large diesel and water tanks means working over twice as long as nearest rivals
- Compact design & powerful engine



JCB 13 Ton Roller

- High-performance vibratory compaction system
- Excellent traction and gradeability
- Durable JCB build quality for reliable site performance

Operating Weight	11950kg
Engine Power	55kW



Trench Roller

- Remote controlled
- Proximity detection system
- Low exciter position
- Efficient transfer of compaction

Operating Weight	2940kg
Drum Width	120cm



JCB 3CX Backhoe Loader

- Capable of close excavation
- Superb all-round visibility, ultra-low noise cab
- 4 in 1 bucket, forks, extender & breaker circuit

Dig Reach	5.37m
Dump Height	3.84m

01691 770171

www.ridgwayrentals.com
FREEPHONE: 0800 515155

WASTE & RECYCLING



With so many health & safety obligations in the waste & recycling industry today, we appreciate that you need a machine that not only keeps the operator safe, but also ensures safety for others within working areas. Most safety features are fitted as standard but where you have a special requirement – we will endeavour to meet your needs.



JS20MH Material Handler

- Cab can be elevated 2.1 metres
- Solid tyres ensure stability
- Safety features protect operators & bystanders
- Hydraulically-raising cab for superb visibility
- Designed with cutting-edge safeguards
- Centralised slew turret gives 360° stability

TAILOR MADE FOR WASTE & RECYCLING



Komatsu PC210 Raised Cab

- Kocurek elevating cab system gives extra vision for loading high-sided containers
- Specs to enable grab, sort, handle & compact
- Fire Suppression & reverse Fans
- Pre-cleaner & wide core radiator

**CONTACT US FOR MORE DETAILS ON
RAISED CAB OPTIONS**

SPECIALIST MACHINERY FOR THE WASTE & RECYCLING INDUSTRY

Excavators • Wheeled Excavators • Loading Shovels • Telehandlers

Most of our machines can be supplied in the specification you require with a range of attachments including high tip buckets, solid tyres, fire suppression, cab protection, cameras etc

CALL US WITH YOUR EXACT REQUIREMENTS

01691 770171

www.ridgwayrentals.com
FREEPHONE: 0800 515155

ACCOUNT APPLICATION FORM

RIDGWAY *Rentals*



PLANT RENTAL • HAULAGE • SALES • PARTS • SERVICE

RIDGWAY RENTALS LTD, EARTHMOVERS HOUSE, RIDGWAY BUSINESS PARK,
COLLIERY ROAD, St. MARTINS, OSWESTRY SY11 3PZ

FULL TRADING NAME

BANK NAME

FULL TRADING ADDRESS

BANK ADDRESS

POSTCODE

POSTCODE

SORT CODE

ACCOUNT NUMBER

REGISTERED ADDRESS (if different from above)

TRADE REFERENCE 1

POSTCODE

POSTCODE

COMPANY NO.

TELEPHONE NO.

INCORPORATION DATE

TRADE REFERENCE 2

VAT REGISTRATION NO.

PERSON RESPONSIBLE FOR PAYMENT

NAME

TELEPHONE

FAX

POSTCODE

EMAIL

TELEPHONE NO.

I/We understand and voluntary agree to the following:

Ridgway Rentals operate a strict credit limit with all its customers. If you exceed your limit, you agree to pay sufficient funds to bring your account balance below your credit limit. Providing you do not exceed your credit limit, our credit terms are based on payment being received in this office by **the last day of the month following the date of the invoice.**

In processing your application for credit facilities we may make enquiries of credit reference agencies or other third parties who may record those enquiries. We may also disclose information about the conduct of your account with us to credit reference agencies or other third parties. The information obtained from or provided to credit reference agencies or other third parties may be used when assessing further applications for credit terms, for debt collection, for tracing and for fraud protection.

Late payments will be subject to a surcharge of 8% above the bank base rate plus charges to recover the debt. All trading on this account will be covered by the Construction Plant Hire Association Model Conditions.

AUTHORISED SIGNATORY

DATE

FULL NAME

CREDIT LIMIT

PHONE: 01691 770171

FAX: 01691 774007

www.ridgwayrentals.com